VPS TIRE REPAIRS

LIFTING EQUIPMENT

FLOOR JACKS

2-TON LOW PROFILE FLOOR JACK
ASCOT NO. 302-05601

- Low profile and long reach
- Double pump design for quick lifting and improved efficiency
- Heavy steel construction for maximum durability
- Equipped with a foot pedal to allow for hands free positioning

MIN. HEIGHT	MAX. HEIGHT	HYD. LIFT RANGE	EXTEN. SCREW	CHASSIS SIZE/HT.	SADDLE SIZE	HANDLE LENGTH	SHIPPING WEIGHT
2-3/4"	24"	21-1/4"	N/A	31.9"x14"	3-7/8"	47-7/8"	102.3 lbs.

2.5-TON LOW PROFILE FLOOR JACK
ASCOT NO. 302-05602

- Low profile
- Double pump design for quick lifting and improved efficiency
- Heavy steel construction for maximum durability
- Equipped with a foot pedal to allow for hands free positioning

MIN. HEIGHT	MAX. HEIGHT	HYD. LIFT RANGE	EXTEN. SCREW	CHASSIS SIZE/HT.	SADDLE SIZE	HANDLE LENGTH	SHIPPING WEIGHT
3-1/8"	19-3/4"	16-5/8"	N/A	26.3"x13.5"	4-3/8"	47-7/8"	73.7 lbs.

305-592-9982
2612 NW 112TH AVE
Doral, FL 33172 US
www.vpstirerepairs.com

VPS TIRE REPAIRS

3-TON FLOOR JACK
ASCOT NO. 302-05613

- Low profile and long reach
- Double pump design for quick lifting and improved efficiency
- Heavy steel construction for maximum durability
- Equipped with a foot pedal to allow for hands free positioning

MIN. HEIGHT	MAX. HEIGHT	HYD. LIFT RANGE	EXTEN. SCREW	CHASSIS SIZE/HT.	SADDLE SIZE	HANDLE LENGTH	SHIPPING WEIGHT
3-3/8"	24-1/4"	20-7/8"	N/A	31.4"x14.4"	3-7/8"	47-7/8"	105.4 lbs.



3.5-TON FLOOR JACK
ASCOT NO. 302-05605

- Double pump design for quick lifting and improved efficiency
- Heavy steel construction for maximum durability
- Equipped with a foot pedal to allow for hands free positioning

MIN. HEIGHT	MAX. HEIGHT	HYD. LIFT RANGE	EXTEN. SCREW	CHASSIS SIZE/HT.	SADDLE SIZE	HANDLE LENGTH	SHIPPING WEIGHT
3-3/4"	20-1/2"	16-3/4"	N/A	27.2"x14.25"	4-1/4"	47-7/8"	100 lbs.

305-592-9982
2612 NW 112TH AVE
Doral, FL 33172 US
www.vpstirerepairs.com

VPS TIRE REPAIRS

4-TON FLOOR JACK
ASCOT NO. 302-05614

- Double pump design for quick lifting and improved efficiency
- Heavy steel construction for maximum durability
- Equipped with a foot pedal to allow for hands free positioning

MIN. HEIGHT	MAX. HEIGHT	HYD. LIFT RANGE	EXTEN. SCREW	CHASSIS SIZE/HT.	SADDLE SIZE	HANDLE LENGTH	SHIPPING WEIGHT
4-3/8"	20-1/4"	16"	N/A	27.7"x14.4"	4-1/4"	47-7/8"	102.5 lbs.

ASCOT FLOOR JACK REPLACEMENT PARTS

SPRING FOR ASCOT 2/3/4-TON FLOOR JACKS
ASCOT NO. 302-60129

FIXED WHEEL ASSEMBLY FOR ASCOT 3-TON FLOOR JACK
ASCOT NO. 302-61301

CASTER FOR ASCOT 4-TON FLOOR JACK
ASCOT NO. 302-61404

SEAL KIT FOR PUMP FOR ASCOT 3/4-TON FLOOR JACKS
ASCOT NO. 302-61401

FIXED WHEEL ASSEMBLY FOR ASCOT 4-TON FLOOR JACK
ASCOT NO. 302-61402

PUMP FOR ASCOT 3/4-TON FLOOR JACKS
ASCOT NO. 302-61403

REPLACEMENT HANDLE FOR ASCOT FLOOR JACKS
ASCOT NO. 302-56022

FIXED WHEEL ASSEMBLY FOR ASCOT 2-TON FLOOR JACK
ASCOT NO. 302-60102

PUMP FOR ASCOT 2-TON FLOOR JACK
ASCOT NO. 302-60107

SEAL KIT FOR PUMP FOR ASCOT 2/3/4-TON FLOOR JACK
ASCOT NO. 302-60109

PUMP CORE ASSEMBLY 1 FOR ASCOT 2/3/4-TON FLOOR JACKS
ASCOT NO. 302-60111

PUMP CORE ASSEMBLY 2 FOR ASCOT 2.5-TON FLOOR JACK
ASCOT NO. 302-60202

PUMP CORE ASSEMBLY 1 FOR ASCOT 2.5-TON FLOOR JACK
ASCOT NO. 302-60203

SEAL KIT FOR PUMP FOR ASCOT 2.5-TON FLOOR JACK
ASCOT NO. 302-60205

FIXED WHEEL ASSEMBLY FOR ASCOT 2.5-TON FLOOR JACK
ASCOT NO. 302-60208

RELEASE VALVE FOR ASCOT 2.5/3/4-TON FLOOR JACKS
ASCOT NO. 302-60211

PUMP FOR ASCOT 2.5-TON FLOOR JACK
ASCOT NO. 302-60215

CASTER FOR ASCOT 2/2.5/3-TON FLOOR JACKS
ASCOT NO. 302-61503

RUBBER PAD FOR ASCOT 2/3-TON FLOOR JACKS
ASCOT NO. 302-62248

SPRING FOR ASCOT 2.5/3/4-TON FLOOR JACKS
ASCOT NO. 302-88550

RUBBER PAD FOR ASCOT 2.5/4-TON FLOOR JACKS
ASCOT NO. 302-88566

SPRING FOR ASCOT 2.5-TON FLOOR JACK
ASCOT NO. 302-88587

SCREW FOR ASCOT 2/2.5/3/4-TON FLOOR JACKS
ASCOT NO. 302-90330

PUMP CORE ASSEMBLY 2 FOR ASCOT 2/3/4-TON FLOOR JACKS
ASCOT NO. 302-90405

RELEASE VALVE FOR ASCOT 2-TON FLOOR JACK
ASCOT NO. 302-91303

SPRING FOR ASCOT 2-TON FLOOR JACK
ASCOT NO. 302-91323

305-592-9982
2612 NW 112TH AVE
Doral, FL 33172 US
www.vpstirerepairs.com

VPS TIRE REPAIRS

BOTTLE JACKS

20-TON AIR/HYDRAULIC BOTTLE JACK
ASCOT NO. 301-20220

- Lifting range of 10-1/8" to 19-7/8"
- Thick jack base provides exceptional support and stability in severe conditions
- Quick-connect feature on air valve allows easy disconnect and connection of air hose and more compact storage

MIN. HEIGHT	MAX. HEIGHT	HYD. LIFT RANGE	EXTEN. SCREW	CHASSIS SIZE/HT.	SADDLE SIZE	HANDLE LENGTH	SHIPPING WEIGHT
10-1/8"	19-7/8"	6-1/2"	3-1/8"	N/A	N/A	9-3/8"	35.1 lbs.

20-TON SHORT AIR/HYDRAULIC BOTTLE JACK
ASCOT NO. 301-20221

- Lifting range of 7" to 12-5/8"
- Thick jack base provides exceptional support and stability in severe conditions
- Quick-connect feature on air valve allows easy disconnect and connection of air hose and more compact storage

MIN. HEIGHT	MAX. HEIGHT	HYD. LIFT RANGE	EXTEN. SCREW	CHASSIS SIZE/HT.	SADDLE SIZE	HANDLE LENGTH	SHIPPING WEIGHT
7"	12-5/8"	3-3/8"	2-3/8"	N/A	N/A	9-3/8"	30.6 lbs.

20-TON BOTTLE JACK REPLACEMENT PARTS

RELEASE VALVE
ASCOT NO. 301-20222

OIL FILL PLUG
ASCOT NO. 301-20224

PUMP CORE ASSEMBLY
ASCOT NO. 301-20225

OIL VALVE
ASCOT NO. 301-20226

SEAL KIT FOR PISTON ROD
ASCOT NO. 301-20227

LIMIT RING ASSEMBLY
ASCOT NO. 301-20228

AIR MOTOR
ASCOT NO. 301-20229

AIR HOSE ASSEMBLY
ASCOT NO. 301-20255

305-592-9982
2612 NW 112TH AVE
Doral, FL 33172 US
www.vpstirerepairs.com

VPS TIRE REPAIRS

TRUCK JACKS

22-TON AIR/HYDRAULIC TRUCK JACK
ASCOT NO. 302-19150

- Lifting range of 10-1/2" to 21-1/8"
- Large air motor provides an exceptional quick lifting experience
- Narrow chassis fits between tandem truck wheels
- Comes with three adapters in different sizes that cater to different working requirements

MIN. HEIGHT	MAX. HEIGHT	HYD. LIFT RANGE	EXTEN. SCREW	CHASSIS SIZE/HT.	SADDLE SIZE	HANDLE LENGTH	SHIPPING WEIGHT
10-1/2"	21-1/8"	6-1/8"	4-1/2"	N/A	N/A	45-1/4"	101.9 lbs.

ASCOT 22-TON AIR TRUCK JACK REPLACEMENT PARTS

AIR MOTOR FOR ASCOT 22-TON AIR TRUCK JACK
ASCOT NO. 302-20147

SEAL KIT FOR ASCOT 22-TON AIR TRUCK JACK
ASCOT NO. 302-91503

LIMIT RING ASSEMBLY FOR ASCOT 22-TON AIR TRUCK JACK
ASCOT NO. 302-91504

RELEASE VALVE FOR ASCOT 22-TON AIR TRUCK JACK
ASCOT NO. 302-91505

305-592-9982
2612 NW 112TH AVE
Doral, FL 33172 US
www.vpstirerepairs.com

VPS TIRE REPAIRS

HIGH REACH JACK STANDS

1500 LB. HIGH REACH JACK STAND
ASCOT NO. 302-02811

- Capacity: 1500 LB
- Underhoist stand is perfect for use with 2 or 4-post lifts, prevents tipping or rocking of the vehicle
- Heavy gauge steel frame prevents distortion or twisting
- Comes with a 12” base for stability
- Saddle comes with a removable rubber saddle cover to protect vehicle components

MIN. HEIGHT	MAX. HEIGHT	BASE SIZE	SADDLE SIZE	SHIPPING WEIGHT
54-3/4”	81-1/8”	12”	5-3/4” x 2-3/4”	28.6 lbs.

1500 LB. HIGH REACH JACK STAND W/ FOOT PEDAL
ASCOT NO. 302-28112

- Capacity: 1500 LB
- Underhoist stand is perfect for use with 2 or 4-post lifts, prevents tipping or rocking of the vehicle
- Heavy gauge steel frame prevents distortion or twisting
- Comes with a 12” base for stability
- Saddle comes with a removable saddle rubber cover to protect vehicle components
- Equipped with a foot pedal that allows easy load movement

MIN. HEIGHT	MAX. HEIGHT	BASE SIZE	SADDLE SIZE	SHIPPING WEIGHT
54-3/4”	81-1/8”	12”	5-3/4” x 2-3/4”	30.8 lbs.

305-592-9982
2612 NW 112TH AVE
Doral, FL 33172 US
www.vpstirerepairs.com

VPS TIRE REPAIRS

JACK STANDS

2-TON UNDERHOIST TRIPOD JACK STAND
ASCOT NO. 302-02812

- Capacity: 2-Ton
- Underhoist stand is perfect for use with 2 or 4-post lifts, prevents tipping or rocking of the vehicle
- Heavy gauge steel frame prevents distortion or twisting
- Saddle comes with a removable rubber cover to protect load

MIN. HEIGHT	MAX. HEIGHT	BASE SIZE	SADDLE SIZE	SHIPPING WEIGHT
48-7/16"	83-1/16"	24-7/16" x 21-1/4"	5-7/16" x 1-9/16"	35.5 lbs.

22-TON JACK STANDS
ASCOT NO. 302-05622



- Capacity: 22-Tons
- Sturdy, welded steel construction for exceptional safety and strength
- Heavy gauge steel helps prevent distortion or twisting
- Multi-position column bar for convenient height adjustment
- Sold in pairs of two

BASE SIZE	MIN. HEIGHT	MAX. HEIGHT	SHIPPING WEIGHT
9-7/8" x 9-7/8"	13-3/8"	19-5/8"	63.3 lbs.

COMING SOON

305-592-9982
2612 NW 112TH AVE
Doral, FL 33172 US
www.vpstirerepairs.com

VPS TIRE REPAIRS

TRANSMISSION JACK

1/2-TON TWO-STAGE TELESCOPIC TRANSMISSION JACK

ASCOT NO. 371-03321

- Foot pedals allow hands free operation
- Overload valve prevents jack from being used beyond its rated capacity
- Speed limiting valve ensures an automatic safe speed descent - not greater than 1" per second
- "Hidden" hydraulic double pump system provides FAST lifting - under no load the jack can reach maximum height in 35 pumps
- The cover on the pump system helps keep dust and dirt out of the hydraulics for longer life
- Deluxe saddle with 2 angle adjustments - fore/aft and side to side - for maximum user flexibility
- Includes a 59" tie down chain to secure the load
- Chrome plated piston rod and pump core for longer service life
- The grease fitting at the ram nut allows easy lubrication of the shafts
- 4" steel swivel casters provide effortless maneuvering through the shop, 2 standard and 2 with locking mechanisms

MIN. HEIGHT	MAX. HEIGHT	SADDLE TILT FORWARD/BACKWARD	SADDLE TILT LEFT/RIGHT	SHIPPING WEIGHT
37"	76-3/8"	29°/10°	27.2°/46.8°	158.4 lbs.

EQUIPMENT, TOOLS & MATERIALS FOR THE GLOBAL TIRE INDUSTRY

www.vpstirerepairs.com